

# Maintenance and Warranties **Surfacing**

SF01 COLOUR COURTS SF02 ART COURTS SF03 URBAN ART SF04 COURT REFURB

Outdoor Courts and Urban Spaces receive heavy use in unsupervised outdoor environments.

The asset owner is responsible for maintaining a program of routine inspections and maintenance to ensure public safety and extend the asset's life.

### Maintenance

Parklife passes on to the asset owner the Mapei Ltd Coating Maintenance Mapecoat TNS Extreme Guide.

### **Contacts**

**Applicator** Parklife

09 871 0256 info@parklife.co.nz www.parklife.co.nz

Supplier MBP Ltd

Mapei Industrial Flooring and Sports Systems

09 921 1994 029 300 3333

scott.lacey@mbpltd.co.nz

www.mbpltd.co.nz

# **Warranties**

SF01 COLOUR COURTS
SF02 ART COURTS

SF03 URBAN ART

SF04 COURT REFURB

Parklife passes on to the asset owner the benefit of the Mapei Ltd 10-year Product Warranty, issued upon project completion.


Parklife provides a 2-year Application Warranty.

The warranties only apply to correctly maintained coatings as per the Coating Maintenance Mapecoat TNS Extreme Guide.

Subject to Parklife Terms and Conditions.

© Parklife Limited. All Rights Reserved

# Coating Maintenance Mapecoat TNS Extreme



The information contained herein and any other advice are given in good faith based on Mapei's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Mapei's recommendations. The information only applies to the applications and products expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Mapei's Technical Assistance prior to using the products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose.

Users must always refer to the most recent local Technical Data Sheet for the product concerned.



### Introduction

This manual guides you through maintaining your Mapei TNS Extreme coating system for optimal performance and extended lifespan. Regular care minimizes costly repairs and ensures years of enjoyment.

This manual serves as a general guide and may require adjustments based on specific project conditions and local regulations.

# 2. Responsibilities

**Owner:** Implement and adhere to this maintenance program, including inspections, cleaning, minor repairs, and recordkeeping.

MBP: Contact for expert repairs, technical advice, and specialized cleaning beyond this manual's scope.

### 3. General Guidelines

- Inspections: Conduct monthly inspections.
- Maintenance Record: Maintain a logbook or digital record of all activities (dates, actions, personnel, observations).
- Prohibited
  - Pesticides and herbicides
  - Parked/driven vehicles
  - Shrubs/tree canopies within 1 meter
  - Chemicals listed in Section 7

### 4. Operational Maintenance

- Debris Removal (Weekly): Use a leaf blower to promptly remove leaves and debris.
- **Spills and Contaminants (Immediate):** Clean spills promptly with Mapei-approved neutral detergent (low foam, 90%+ biodegradable). Rinse thoroughly with clean water.
- **Minor Repairs (Promptly):** Address minor damage (scratches, cracks, chips) quickly to prevent further deterioration. Contact MBP for complex repairs.

### 5. Annual Maintenance (High-Pressure Cleaning)

- Frequency: Perform at least once a year.
- Equipment: Use a pressure washer (max 1500 psi, nozzle at least 300 mm from surface).
- **Cleaning Technique:** Start at the highest point, work downwards to avoid pooling. Ensure even coverage. Rinse thoroughly with clean water.

### 6. Do Not Use

These items can damage the coating and are strictly prohibited:

- Abrasive materials (steel brushes, scouring pads)
- Non-Mapei-approved detergents/harsh cleaning solutions
- Cotton rags (leave lint, trap dirt)
- High-pressure rotary cleaning machines.

### 7. List of Prohibited Chemicals:

These chemicals can damage the coating and are strictly prohibited:



### Coating Maintenance TNS Extreme – version 1.00 – 01/2024

- Acetic acid
- Acids
- Acetone
- Alcohol
- Ammonia
- Hydrocarbons
- Hydrochloric acid
- Fluoride
- Formic acid
- Phosphoric acid
- Nitric acid
- Sulfuric acid
- Alcohol
- Ammonia
- Benzene
- Dimethylformamide
- Ethylbenzene
- Methanol
- Xylene

**Note:** Contact MBP if unsure about a cleaning agent's safety.

### 8. Graffiti Removal

Report graffiti immediately to MBP. Do not attempt removal yourself, as improper methods can worsen the damage. MBP will advise on the appropriate removal strategy.

### 9. Contact Information

For technical questions, repairs beyond your expertise, or specialized cleaning services, contact:

MBP LTD
www.mbpltd.co.nz
email: scott.lacey@mbpltd.co.nz
Mapei Industrial Flooring and Sports Systems
T. +64 9 921 1994 M. +64 29 300 3333

