



PARKITECT®



URBAN PUMP TRACK


CONCRETE




PARKITECT®

MODULAR
PUMPTRACK


URBAN EDITION




ICON



BLAZER




SIDEWINDER




COASTER




GRAND PRIX




VENTURE




CRUISER




ONYX




QUAD




QUADSTER




GLOBAL



SPEEDRING



SPEEDSTER



WORLD CUP



PARKITECT®



MODULAR PUMPTRACK

SPEEDRING

Key Specifications

Track length		39m
Track area		122m ²
Layout area		242m ²
Modules		42
Material		Precast Concrete




Assembled Dimensions (metres)





PARKITECT®

MODULAR PUMPTRACK



SPEEDRING

Technical Specifications

Track length:	39m
Track area:	122m ²
Layout area:	242m ²
Foundation area:	87m ²
Modules:	42

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

SPEEDSTER

Key Specifications

Track length		48m
Track area		150m ²
Layout area		282m ²
Modules		48
Material		Precast Concrete




Assembled Dimensions (metres)





PARKITECT®

MODULAR PUMPTRACK



SPEEDSTER

Technical Specifications

Track length:	48m
Track area:	150m ²
Layout area:	282m ²
Foundation area:	110m ²
Modules:	48

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

QUAD

Key Specifications

Track length		52m
Track area		248m ²
Layout area		400m ²
Modules		52
Material		Precast Concrete




Assembled Dimensions (metres)





PARKITECT®

MODULAR PUMPTRACK



QUAD

Technical Specifications

Track length:	52m
Track area:	248m ²
Layout area:	400m ²
Foundation area:	121m ²
Modules:	52

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

QUADSTER

Key Specifications

Track length		62m
Track area		298m ²
Layout area		478m ²
Modules		60
Material		Precast Concrete

Assembled Dimensions (metres)





Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®


MODULAR PUMPTRACK


GLOBAL

Key Specifications

Track length		55m
Track area		275m ²
Layout area		430m ²
Modules		58
Material		Precast Concrete

Assembled Dimensions (metres)





Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

VENTURE

Key Specifications

Track length		59m
Track area		347m ²
Layout area		523m ²
Modules		64
Material		Precast Concrete



Assembled Dimensions (metres)





PARKITECT®

MODULAR PUMPTRACK



VENTURE

Technical Specifications

Track length:	59m
Track area:	347m ²
Layout area:	523m ²
Foundation area:	134m ²
Modules:	64

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK


WORLD CUP

Key Specifications

Track length		66m
Track area		354m ²
Layout area		534m ²
Modules		68
Material		Precast Concrete

Assembled Dimensions (metres)





Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®


MODULAR PUMPTRACK




BLAZER

Key Specifications

Track length		70m
Track area		408m ²
Layout area		605m ²
Modules		74
Material		Precast Concrete

Assembled Dimensions (metres)





BLAZER

Technical Specifications

Track length:	70m
Track area:	408m ²
Layout area:	605m ²
Foundation area:	163m ²
Modules:	74

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK



COASTER

Key Specifications

Track length		74m
Track area		530m ²
Layout area		744m ²
Modules		76
Material		Precast Concrete

Assembled Dimensions (metres)





COASTER

Technical Specifications

Track length:	74m
Track area:	530m ²
Layout area:	744m ²
Foundation area:	174m ²
Modules:	76

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

ICON



Key Specifications

Track length		80m
Track area		521m ²
Layout area		768m ²
Modules		83
Material		Precast Concrete

Assembled Dimensions (metres)



MODULAR PUMPTRACK



ICON

Technical Specifications

Track length:	80m
Track area:	521m ²
Layout area:	768m ²
Foundation area:	181m ²
Modules:	83

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK


SIDEWINDER

Key Specifications

Track length		94m
Track area		370m ²
Layout area		544m ²
Modules		95
Material		Precast Concrete

Assembled Dimensions (metres)





Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK

CRUISER

Key Specifications




Track length		102m
Track area		446m ²
Layout area		648m ²
Modules		103
Material		Precast Concrete

Assembled Dimensions (metres)





MODULAR PUMPTRACK



CRUISER

Technical Specifications

Track length:	102m
Track area:	446m ²
Layout area:	648m ²
Foundation area:	237m ²
Modules:	103

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®



MODULAR PUMPTRACK




ONYX

Key Specifications

Track length		102m
Track area		660m ²
Layout area		898m ²
Modules		107
Material		Precast Concrete

Assembled Dimensions (metres)





ONYX

Technical Specifications

Track length:	102m
Track area:	660m ²
Layout area:	898m ²
Foundation area:	238m ²
Modules:	107

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT®


MODULAR PUMPTRACK



GRAND PRIX

Key Specifications

Track length		120m
Track area		722m ²
Layout area		976m ²
Modules		120
Material		Precast Concrete

Assembled Dimensions (metres)





GRAND PRIX

Technical Specifications

Track length:	120m
Track area:	722m ²
Layout area:	976m ²
Foundation area:	278m ²
Modules:	120

Materials

Material:	Precast Reinforced Concrete C35/45
Riding surface:	Medium Grit Sandblasted
Protection:	Sika Impregnating Sealer
Connections:	Bolted M16 SS
Feet:	M16 steel adjustable foot
Jointing:	Sika Flex Pro 3 with foam backing rod

Transport & Installation

Shipping:	Modules shipped on pallets
Weights:	Load handling upto 2500kg
Installation:	Placement by crane / excavator
Foundation:	100mm reinforced concrete
Landscaping:	Internal & External, get creative



PARKITECT
PUMP TRACKS



40

Pump Tracks installed
throughout Aotearoa by
Parklife.

Contact

info@parklife.co.nz
+64 9 871 0256
parklife.co.nz

Exclusive New Zealand
dealer.

park—life